

## APPENDIX A

### Clean Copy of All Pending Claims

1. (Currently amended) A remote shut-off valve comprising a diaphragm valve and a pilot valve, the diaphragm valve having an inlet, an outlet, a valve member and a valve seat, the valve member having a closed position in which it engages the seat and blocks fluid flow from the inlet to the outlet and an open position in which the valve member does not engage the valve seat and fluid can flow from the inlet to the outlet, a first fluid conduit connecting the inlet of the diaphragm valve to the inlet of the pilot valve and a second fluid conduit connecting the outlet of the pilot valve to the outlet of the diaphragm valve, the first fluid conduit having a first part and a second part, the second fluid conduit having a first part and a second part, the first part of the first fluid conduit and the first part of the second fluid conduit being provided by respective flow channels in the body of the diaphragm valve, the second part of the first fluid conduit and the second part of the second fluid conduit being provided by respective flexible tubes, the diaphragm valve having a control chamber, and a flow channel connecting the control chamber to the diaphragm valve inlet, wherein the flow channel connecting the control chamber to the diaphragm valve inlet is a branch off the first part of the first fluid conduit within the body of the diaphragm valve.
2. (Original) A remote shut-off valve according to claim 1 wherein the body of the diaphragm valve includes a removable cap member which provides the control chamber, the flow channel being located within the cap member.
3. (Original) A remote shut-off according to claim 2 wherein a part of the fluid conduits are formed within the cap member, and in which the flow channel comprises a branch in the first fluid conduit within the cap member.
4. (Original) A remote shut-off valve according to claim 2 wherein the diaphragm valve includes a housing, and wherein the periphery of the valve member is clamped between the cap member and the housing.
5. (Cancelled).

6. (Currently amended) A remote shut-off valve according to claim 5 1 wherein the flexible tubes are secured to the body of the diaphragm valve by way of quick-release connectors.
7. (Original) A remote shut-off valve according to claim 6 wherein the quick-release connectors include respective O-ring seals which can engage a part of a flexible tube and provide a seal therearound.
8. (Original) A remote shut-off valve according to claim 7 wherein releasable securing means are provided to secure the flexible tubes within the respective O-ring seal.
9. (Currently amended) A remote shut-off valve comprising a diaphragm valve and a pilot valve, the diaphragm valve having an inlet, an outlet, a valve member and a valve seat, the valve member having a closed position in which it engages the seat and blocks fluid flow from the inlet to the outlet and an open position in which the valve member does not engage the valve seat and fluid can flow from the inlet to the outlet, a first fluid conduit connecting the inlet of the diaphragm valve to the inlet of the pilot valve and a second fluid conduit connecting the outlet of the pilot valve to the outlet of the diaphragm valve, the diaphragm valve having a control chamber, and a flow channel connecting the control chamber to the diaphragm valve inlet, wherein the flow channel is located within the body of the diaphragm valve, wherein part of the first and second fluid conduits are provided by respective flexible tubes, and wherein releasable securing means is provided for securing the flexible tubes to the body of the diaphragm valve, the releasable securing means comprising a securing housing within which both of the flexible tubes are retained, the securing housing carrying locking means to lock the securing housing to the body of the diaphragm valve.
10. (Original) A remote shut-off valve according to claim 9 wherein the flexible tubes are at least partially resilient, and wherein part of each tube is retained in the securing housing within a respective curved channel.
11. (Original) A remote shut-off valve according to claim 10 wherein each curved channel is bordered by a wall, and a part of the wall has an opening through which the flexible tube may be passed.

12. (Currently amended) A remote shut-off valve comprising a diaphragm valve and a pilot valve, the diaphragm valve having an inlet, an outlet, a valve member and a valve seat, the valve member having a closed position in which it engages the seat and blocks fluid flow from the inlet to the outlet and an open position in which the valve member does not engage the valve seat and fluid can flow from the inlet to the outlet, a first fluid conduit connecting the inlet of the diaphragm valve to the inlet of the pilot valve and a second fluid conduit connecting the outlet of the pilot valve to the outlet of the diaphragm valve, the diaphragm valve having a control chamber, and a flow channel connecting the control chamber to the diaphragm valve inlet, wherein the flow channel is located within the body of the diaphragm valve, wherein part of the first and second fluid conduits are provided by respective flexible tubes, wherein the pilot valve is located within a valve housing, and wherein the valve housing includes a respective curved channel for each of the flexible tubes.

13. A remote shut-off valve according to claim 1 in which the pilot valve is non-directional.


**BEFORE THE OFFICE OF ENROLLMENT AND DISCIPLINE  
UNITED STATE PATENT AND TRADEMARK OFFICE**

**LIMITED RECOGNITION UNDER 37 CFR § 10.9(b)**

Yongzhi Yang is hereby given limited recognition under 37 CFR § 10.9(b) as an employee of Steven J. Hultquist to prepare and prosecute patent applications wherein the patent applicant is the client of Steven J. Hultquist, and the attorney or agent of record in the applications is a registered practitioner who is a member of the Intellectual Property/Technology Law firm. This limited recognition shall expire on the date appearing below, or when whichever of the following events first occurs prior to the date appearing below: (i) Yongzhi Yang ceases to lawfully reside in the United States, (ii) Yongzhi Yang's employment with Steven J. Hultquist ceases or is terminated, or (iii) Yongzhi Yang ceases to remain or reside in the United States on an H-1 visa.

This document constitutes proof of such recognition. The original of this document is on file in the Office of Enrollment and Discipline of the U.S. Patent and Trademark Office.

Expires: August 1, 2003

  
\_\_\_\_\_  
Harry I. Moatz  
Director of Enrollment and Discipline